

■標準仕様

直径 (In)	シース長		電圧 (V)	容量 (W)	商品コード	ワット密度	
	In	m/m				w/in <sup>2</sup>	w/cm <sup>2</sup>
$\frac{1}{2}$ " 製作実径 (12.6m/m ±0.05m/m)	1	25.4	120	50	※J1A30	65	10.1
			150		J1A31	193	29.9
	1¼	31.8	120	50	J1E50	43	6.7
			120	125	J1E51	107	16.6
			240	125	J1E58	107	16.6
			240	200	J1E52	172	26.7
	1½	38.1	120	50	J1J47	32	5.0
			120	150	J1J48	97	15.0
			240	150	J1J96	97	15.0
			120	200	J1J59	128	19.8
			240	200	J1J38	128	19.8
	2	50.8	120	75	J2A80	32	5.0
			120	200	J2A49	86	13.3
			240	200	J2A75	86	13.3
			120	250	J2A85	108	16.7
			240	250	J2A71	108	16.7
			120	300	J2A95	128	19.9
			240	300	J2A96	128	19.9
			120	400	J2A81	171	26.5
	240	400	J2A82	171	26.5		
	2¾	57.2	120	75	J2E86	28	4.3
			120	125	J2E87	46	7.1
			120	250	J2E56	92	14.3
			240	250	J2E69	92	14.3
			120	400	J2E114	147	22.7
			240	400	J2E115	147	22.7
			120	500	J2E64	184	28.5
			240	500	J2E88	184	28.5
	2½	60.3	120	100	J2G35	34	5.3
			240	100	J2G28	34	5.3
			120	250	※J2G34	86	13.3
			240	250	J2G37	86	13.3
120			500	J2G36	172	26.7	
240	500	J2G38	172	26.7			
2¾	63.5	120	100	J2J67	32	5.0	
		240	100	J2J57	32	5.0	
		120	250	J2J68	81	12.6	
		240	250	J2J69	81	12.6	
		120	300	J2J109	96	14.9	
		240	300	J2J110	96	14.9	
		120	400	J2J81	128	19.9	
		240	400	J2J82	128	19.9	
		120	500	J2J66	161	25.0	
		240	500	J2J70	161	25.0	
2½	69.8	120	400	J2N45	115	17.8	
		240	400	J2N43	115	17.8	

※この製品はお取寄品です。

直径 (In)	シース長		電圧 (V)	容量 (W)	商品コード	ワット密度	
	In	m/m				w/in <sup>2</sup>	w/cm <sup>2</sup>
$\frac{1}{2}$ " 製作実径 (12.6m/m ±0.05m/m)	3	76.2	120	125	J3A108	32	5.0
			240	125	J3A109	32	5.0
			120	250	J3A107	64	9.9
			240	250	J3A89	64	9.9
			120	300	J3A65	78	12.1
			240	300	J3A73	78	12.1
			120	400	J3A132	104	16.1
			240	400	J3A29	104	16.1
			120	500	J3A110	129	20.0
			240	500	J3A111	129	20.0
			120	600	J3A51	154	23.9
			240	600	J3A127	154	23.9
			120	750	J3A137	193	29.9
			240	750	J3A112	193	29.9
	3½	88.9	120	250	※J3J44	54	8.4
			240	250	J3J64	54	8.4
			240	350	J3J65	75	11.6
			120	500	J3J45	107	16.6
			240	500	J3J46	107	16.6
			240	750	J3J63	164	25.1
	4	101.6	120	150	J4A117	29	4.3
			240	150	J4A122	29	4.3
			120	250	J4A118	46	7.1
			240	250	J4A90	46	7.1
			120	300	J4A63	56	8.7
			240	300	J4A26	56	8.7
			120	350	J4A1	65	10.1
			240	350	J4A103	65	10.1
			120	400	J4A139	74	11.5
			240	400	J4A68	74	11.5
			120	500	J4A16	92	14.3
			240	500	J4A92	92	14.3
			120	750	J4A198	138	21.4
			240	750	J4A119	138	21.4
	240	1000	J4A73	184	28.5		
	4½	114.3	120	500	J4J69	80	12.3
			240	500	J4J57	80	12.3
			120	750	J4J70	120	18.5
			240	750	J4J32	120	18.5
	5	127.0	120	200	J5A85	29	4.5
			240	200	J5A74	29	4.5
			120	350	J5A86	50	7.8
			240	350	J5A63	50	7.8
			120	400	J5A98	58	9.0
			240	400	J5A46	58	9.0
			120	500	J5A52	72	11.2
			240	500	J5A45	72	11.2
			120	750	J5A121	108	16.7
240			750	J5A72	108	16.7	
240			1000	J5A87	143	22.2	

※この製品はお取寄品です。

直径 (In)	シース長		電圧 (V)	容量 (W)	商品コード	ワット密度	
	In	m/m				w/in <sup>2</sup>	w/cm <sup>2</sup>
1" 2 製作実径 (12.6m/m ±0.05m/m)	5½	139.7	120	500	J5J43	64	9.9
			240	500	J5J33	64	9.9
			120	750	J5J44	97	14.9
			240	750	J5J45	97	14.9
	5¾	146.0	120	700	J5N6	86	13.3
			240	700	J5N8	86	13.3
	6	152.4	120	250	J6A114	29	4.5
			240	250	J6A171	29	4.5
			120	500	J6A115	59	9.1
			240	500	J6A94	59	9.1
			120	750	J6A99	88	13.6
			240	750	J6A90	88	13.6
			120	1000	J6A53	117	18.1
	240	1000	J6A36	117	18.1		
	6¾	165.1	240	500	J6J45	54	8.4
				1000	J6J27	108	16.7
	7	177.8	120	250	J7A79	25	3.9
			120	500	J7A80	50	7.8
			240	500	J7A57	50	7.8
			120	600	J7A50	60	9.4
			240	600	J7A95	60	9.4
			240	1000	J7A81	99	15.3
	7½	190.5	240	500	J7J25	46	7.1
				1000	J7J26	92	14.3
	8	203.2	120	300	J8A71	26	4.0
			120	500	※J8A64	43	6.7
			240	500	J8A66	43	6.7
			120	1000	J8A84	86	13.3
			240	1000	J8A60	86	13.3
			240	1500	J8A100	129	20.0
			240	2000	J8A101	172	26.7
	8¾	215.9	240	500	J8J30	40	6.2
			1000	J8J28	80	12.3	
9	228.6	240	500	J9A35	38	5.9	
			1000	J9A58	76	11.8	
9½	241.3	240	500	J9J14	36	5.6	
			1000	J9J12	72	11.2	
10	254.0	120	500	J10A61	34	5.3	
		240	500	J10A62	34	5.3	
		120	1000	J10A63	68	10.5	
		240	1000	J10A42	68	10.5	
		240	1500	J10A33	102	15.8	
		240	2000	J10A64	136	20.9	
12	304.8	120	500	J12A63	28	4.3	
		240	500	J12A76	28	4.3	
		120	1000	J12A40	56	8.7	
		240	1000	J12A49	56	8.7	
		240	1500	J12A37	84	13.0	
		240	2000	J12A89	112	17.4	
14	355.6	240	1000	J14A41	48	7.4	
			2300	J14A39	110	17.1	
18	457.2	240	1500	J18A19	55	8.5	

※この製品はお取寄品です。